

HDFP262

---

**Product Information**

|                     |         |                         |            |              |      |
|---------------------|---------|-------------------------|------------|--------------|------|
| <b>Product SKU:</b> | HDFP262 | <b>Expression Host:</b> | HEK293     | <b>Size:</b> | 10µg |
| <b>Target:</b>      | GP151   | <b>Tag:</b>             | C-Flag Tag |              |      |

---

**Additional Information**

|                          |   |                    |        |
|--------------------------|---|--------------------|--------|
| <b>Conjugate:</b>        | Unconjugated  | <b>Uniprot ID:</b> | Q8TDV0 |
| <b>Molecular Weight:</b> | The human full length GP151 protein has a MW of 46.6kDa |                    |        |

---

**Protein Information**

**Background:** This gene encodes an orphan member of the class A rhodopsin-like family of G-protein-coupled receptors (GPCRs). Within the rhodopsin-like family, this gene is a member of the SOG subfamily that includes somatostatin, opioid, galanin, and kisspeptin receptors. The orthologous mouse gene has a restricted pattern of neuronal expression which is induced following nerve injury. All GPCRs have a transmembrane domain that includes seven transmembrane alpha-helices. A general feature of GPCR signaling is the agonist-induced conformational change in the receptor, leading to activation of the heterotrimeric G protein. The activated G protein then binds to and activates numerous downstream effector proteins, which generate second messengers that mediate a broad range of cellular and physiological processes. [provided by RefSeq, Jul 2017]

**Synonyms:** GALR4, GALRL, GPCR, GPCR-2037, PGR7

**Protein Description:** Human GP151 full length protein-synthetic nanodisc

**Formulation:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.

**Protein Pathways:** -

**Protein Families:** Transmembrane, Druggable Genome.

**Usage:** Research use only

**Storage & Shipping:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.