

Recombinant Mouse TNF-alpha Protein

RPCB0855

Description

This high-purity Recombinant Mouse TNF-alpha Protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Protein Information

SKU:	RPCB0855
Contents:	10 µg, 20 µg, 50 µg, 100 µg Bradford Reagent: 1 vial (2ml)
Synonyms:	DIF, Tnfa, TNF-a, TNFSF2, Tnlg1f, Tnfsf1a, TNFalpha, TNF-alpha, TNF
Species:	Mouse
Gene ID:	21926
Expression Host:	HEK293 cells
Tags:	C-His
Calculated MW:	18.10 kDa
Observed MW:	18 kDa
Purification:	≥ 95 % as determined by SDS-PAGE, ≥95 % as determined by HPLC.
Endotoxin:	< 0.1 EU/µg of the protein by LAL method.
Formulation:	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.
Bio- Activity:	1. Immobilized recombinant Mouse TNFα at 2 µg/mL (100 µL/well) can bind Human TNFRSF1A with a linear range of 4-53 ng/mL. 2. Immobilized Recombinant Mouse TNF-α at 2 µg/mL (100 µL/well) can bind Mouse TNFRSF1B with a linear range of 0.02-0.77 ng/mL. 3. Recombinant Mouse

Manufacturers Statement - This final kit system is assembled and quality-released by Assay Genie Limited


TNF-alpha induces cytotoxicity in the L-929 mouse fibroblast cell line in the presence of the metabolic inhibitor actinomycin D. The ED50 for this effect is typically 3.55-14.2 pg/mL, corresponding to a specific activity of $7.04 \times 10^7 \sim 2.82 \times 10^8$ units/mg.

Preparation & Storage

- Shipping:** The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.
- Storage:** Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.
Store Bradford Reagent at Room Temperature for 1 Year.
- Reconstitution:** Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
- Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.

Validation Data


Image




Description


Recombinant Mouse TNF-alpha Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.

The purity of Mouse TNF-alpha Protein (RPCB0855) was greater than 95% as determined by SEC-HPLC.



Immobilized Recombinant Mouse TNF- α at 2 $\mu\text{g/mL}$ (100 $\mu\text{L/well}$) can bind Mouse TNFRSF1B with a linear range of 0.02-0.77 ng/mL .





Recombinant Mouse TNF-alpha induces cytotoxicity in the L-929 mouse fibroblast cell line in the presence of the metabolic inhibitor actinomycin D. The ED50 for this effect is typically 3.55-14.2 pg/mL, corresponding to a specific activity of $7.04 \times 10^7 \sim 2.82 \times 10^8$ units/mg.