

## Recombinant Mouse IL-2 Protein

RPCB0904

### Description

---

This high-purity Recombinant Mouse IL-2 Protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Protein Information

---

<b>SKU:</b>	RPCB0904
<b>Contents:</b>	10 µg, 20 µg, 50 µg, 100 µg Bradford Reagent: 1 vial (2ml)
<b>Synonyms:</b>	IL-2, IL2
<b>Species:</b>	Mouse
<b>Gene ID:</b>	16183
<b>Expression Host:</b>	HEK293 cells
<b>Tags:</b>	C-His
<b>Calculated MW:</b>	18.07 kDa
<b>Observed MW:</b>	22-25 kDa
<b>Purification:</b>	≥ 95 % as determined by SDS-PAGE.
<b>Endotoxin:</b>	< 0.1 EU/µg of the protein by LAL method.
<b>Formulation:</b>	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.
<b>Bio- Activity:</b>	1. Measured by its binding ability in a functional ELISA. Immobilized Mouse IL-2 at 2 µg/mL (100 µL/well) can bind Mouse IL-2 with a linear range of 0.1-43.8 ng/mL. 2. Measured in a cell proliferation assay using HT-2 mouse T cells. The ED 50 for this effect is 0.88-3.5 ng/mL, corresponding to a specific activity of 2.86×10 <sup>5</sup> -1.14×10 <sup>6</sup> units/mg.3.Measured in a cell proliferation assay using

**Manufacturers Statement - This final kit system is assembled and quality-released by Assay Genie Limited**

CTLL2 mouse T cells. The ED 50 for this effect is 0.32-1.26 ng/mL, corresponding to a specific activity of  $7.94 \times 10^5 \sim 3.17 \times 10^6$  units/mg.

## Preparation & Storage

---

**Shipping:** The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.


**Storage:** Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.  
Store Bradford Reagent at Room Temperature for 1 Year.

**Reconstitution:** Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.


## Validation Data

### Image




### Description

Recombinant Mouse IL-2 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Mouse IL-2 (RPCB0904) at 2 µg/mL (100 µL/well) can bind Mouse IL-2RA (RPCB0968) with a linear range of 0.1-43.8 ng/mL.



Measured in a cell proliferation assay using CTLL2 mouse T cells. The ED50 for this effect is 0.32-1.26 ng/mL, corresponding to a specific activity of  $7.94 \times 10^5 \sim 3.17 \times 10^6$  units/mg.