

Recombinant Rat HER2/ErbB2 Protein (Fc Tag)

RPES0142

Description

This high-purity recombinant protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Protein Information

SKU: RPES0142

Purity: > 85 % as determined by reducing SDS-PAGE.

Contents: 100µg
Bradford Reagent: 1 vial (2ml)

Concentration: -

Species: Rat

Endotoxin: < 1.0 EU per µg of the protein as determined by the LAL method.

Synonyms: CD340, ENV, ENVW, ERBB2, ERVWE1, Epidermal growth factor receptor-related protein, HER-2, HER-2/neu, HER2, HERV-7q, HERV-W-ENV, HERV7Q, HERVW, HERVWENV, MLN 19, MLN19, Proto-oncogene Neu, Proto-oncogene c-ErbB-2, Receptor tyrosine-protein kinase erbB-2, p185erbB2, p185neu

Storage: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

Store Bradford Reagent at Room Temperature for 1 year.

Tag: C-hFc

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Expression Host: HEK293 Cells

Bio-Activity: Not validated for activity

Calculated MW: 97.0 kDa

Formulation: Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.

Observed MW: 130 kDa

Reconstitution: Please refer to the printed manual for detailed information.

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Accession: AAH61863.1

Source: HEK293 Cells-derived Rat HER2/ErbB2 protein Met 4-Thr 656, with an C-terminal hFc

Sequence: Met 4-Thr 656

Form: Lyophilized powder

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes: Centrifuge before opening to ensure complete recovery of vial contents.