

Recombinant Human TGFB1/TGF-beta 1 Protein

RPES1385

Description

This high-purity recombinant protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Protein Information

SKU: RPES1385

Purity: > 95 % as determined by reducing SDS-PAGE.

Contents: 50µg, 10µg
Bradford Reagent: 1 vial (2ml)

Concentration: -

Species: Human

Endotoxin: < 0.01 EU per µg of the protein as determined by the LAL method.

Synonyms: CED, DPD1, LAP, Latency-Associated Peptide, TGF-Beta-1, TGF-beta 1, TGFB, TGFB1, Transforming Growth Factor Beta-1

Storage: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Store Bradford Reagent at Room Temperature for 1 year.

Tag: None

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Expression Host: CHO Stable Cells

Bio-Activity: Measured by its ability to inhibit the IL-4-dependent proliferation of TF- 1 human erythroleukemic cells. The ED50 for this effect is 4-40 pg/ml

Calculated MW: 12.8 kDa

Formulation: Lyophilized from a 0.2 µm filtered solution of 50mM Glycine-HCl, 150mM NaCl, pH 2.5. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.

Observed MW: 13 kDa

Reconstitution: Please refer to the printed manual for detailed information. Measured by its ability to inhibit

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

the IL-4-dependent proliferation of TF- 1 human erythroleukemic cells. The ED50 for this effect is 4-40 pg/ml

Accession: P01137

Source: CHO Stable Cells-derived Human TGFβ1, TGF-beta 1 protein Ala279-Ser390

Sequence: Ala279-Ser390

Form: Lyophilized powder

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes: Centrifuge before opening to ensure complete recovery of vial contents.