

Recombinant Mouse S100A8/CAGA Protein (His Tag)

RPES2733

Description

This high-purity recombinant protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Protein Information

SKU: RPES2733

Purity: > 95 % as determined by reducing SDS-PAGE.

Contents: 50µg, 10µg
Bradford Reagent: 1 vial (2ml)

Concentration: -

Species: Mouse

Endotoxin: < 1.0 EU per µg of the protein as determined by the LAL method.

Synonyms: 60B8Ag, AI323541, B8Ag, CFAg, CP, Caga, Calgranulin-A, Chemotactic cytokine CP-10, Leukocyte L1 complex light chain, MRP-8, Migration inhibitory factor-related protein 8, Mrp8, Pro-inflammatory S100 cytokine, Protein S100-A8, S100 calcium-binding protein A8, S100a8

Storage: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. Store Bradford Reagent at Room Temperature for 1 year.

Tag: C-His

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Expression Host: E.coli

Bio-Activity: Not validated for activity

Calculated MW: 11.3 kDa

Formulation: Lyophilized from a 0.2 µm filtered solution of 20mM Tris-HCl, pH 8.0. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.

Observed MW: 13 kDa

Reconstitution: Please refer to the printed manual for detailed information.

Accession: P50115

Source: E.coli-derived Mouse S100A8/CAGA protein Met1-Glu89, with an C-terminal His

Sequence: Met1-Glu89

Form: Lyophilized powder

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes: Centrifuge before opening to ensure complete recovery of vial contents.