

Recombinant Human Carbonic Anhydrase 8/CA8 Protein (His Tag)

RPES2903

Description

This high-purity recombinant protein is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Protein Information

SKU: RPES2903

Purity: > 94 % as determined by reducing SDS-PAGE.

Contents: 100µg, 1mg
Bradford Reagent: 1 vial (2ml)

Concentration: -

Species: Human

Endotoxin: Please contact us for more information.

Synonyms: CA-VIII, CA8, CALS, CAMRQ3, CARP, Carbonic Anhydrase VIII, Carbonic Anhydrase-Related Protein, MGC120502, MGC99509

Storage: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Store Bradford Reagent at Room Temperature for 1 year.

Tag: C-His

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Expression Host: E.coli

Bio-Activity: Measured by its esterase activity. The specific activity is > 100 pmoles/min/µg.

Calculated MW: 33.8 kDa

Formulation: Lyophilized from sterile PBS, 15% glycerol, pH 7.5 Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.

Observed MW: 37 kDa

Reconstitution: Please refer to the printed manual for detailed information.

Accession: NP_004047.3

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Source: E.coli-derived Human Carbonic Anhydrase 8/CA8 protein Met 1-Gln 290, with an C- terminal His

Sequence: Met 1-Gln 290

Form: Lyophilized powder

this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes: Centrifuge before opening to ensure complete recovery of vial contents.